Page 1 of 5 First issue: 2016/8/19 Revised: 2016/9/6 SDS# CPS-F-0056M-USA/ Cellufine MAX IB

Chromatography Media

# Safety Data Sheet Cellufine™ MAX IB

1. Product & Company	dentification
Product Name	: Cellufine MAX IB
General Use	: Liquid Chromatography Media
Product Description	: Beads slurry of cross-linked cellulose containing both amino and butyl group in 20% of EtOH/H <sub>2</sub> O
SDS Number	: CPS-F-0053M-USA
Manufacturer	
Company Name	: JNC CORPORATION
Address	: Shin-Otemachi BLDG., 2-1, Otemachi 2-chome, Chiyoda-ku, Tokyo
	100-8105, Japan
Tel	: +81-3-3243-6150
Fax	: +81-3-3243-6219
Emergency telephone number	: +81-3-3243-6150

### 2. Hazards identification

Hazard classification: Flammable Liquids – Category 3 GHS label elements Signal word: Warning Hazard statements: Flammable liquid and vapor Pictograms:



Precautionary statements:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Use explosion-proof equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

In case of fire: Use carbon dioxide, dry chemical powder, alcohol resistant foam, or water to extinguish. Dispose of contents/container in accordance with local/regional/national/international regulations.

Unclassified hazards:


May be harmful if inhaled and ingested.

May cause eye and skin irritation.

Percentage of ingredients with unknown toxicity:

Not applicable

#### Page 2 of 5 First issue: 2016/8/19 Revised: 2016/9/6 SDS# CPS-F-0056M-USA/ Cellufine MAX IB



. First aid measures	
General advice	: Wash off immediately with soap and plenty of water. In the case of inhaling dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit. Use personal protective equipment.
Inhalation	: Move victim to fresh air. If breathing is difficult, give oxygen. If irritation persists, consult physician.
Еуе	: Remove any contact lenses at once. Fresh eyes well with flooding amounts of running water for at least 15 minutes. Assure adequate flushing by separating the eyelids with sterile fingers. If irritation persists, consult a physician.
Skin	: Remove contaminated clothes and shoes, rinse skin with plenty of water or shower. Use soap to help assure removal. If irritation persists, consult a physician.
Ingestion	: Rinse mouth and give plenty of water to dilute the substance. Never give anything by mouth to an unconscious person. Consult a physician.
Protection to first-aides	: Rescuers wear suitable protective equipment such as rubber gloves and tight-fitting safety goggles.
Note to physician	: Treatment may vary with condition of victim and specifics of incident.

5. Fire-fighting mea	sures
Flammable properties	: Flammable
Extinguishing media	: Carbon dioxide, dry chemical powder, alcohol resistant form, water
Specific hazards	: Carbon monoxide and nitrogen oxides may be formed

Page 3 of 5 First issue: 2016/8/19 Revised: 2016/9/6 SDS# CPS-F-0056M-USA/ Cellufine MAX IB

Fire-fighting instructions	: Wear full fire-fighting turnout gear (full banker gear) and respiratory protection	
	(self-contained breathing apparatus).	

6. Accidental release	measures
Personal precautions	: Remove ignition sources and ventilate area. In case of insufficient ventilation, wear suitable respiratory
Environmental precautions	: Prevent spills from entering sewers, watercourses or low area.
Methods for clean up	: Do not touch spilled material without suitable protection (See section 8). Take up spilled material with ashes or other absorbents. After material is completely picked up, wash the spill site with soap and water and ventilate the area. Put all waste in a plastic bag for disposal and seal it tightly. Remove, clean, or dispose of contaminated clothing.
7. Handling and stora	age
Handling	: Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure. Handle material with suitable protection.
Storage	: After opened bottle store away from sunlight in a cool (2-8 °C {35.6-46.4 °F}) well -ventilated dry place.
Incompatible products	: Oxidizers, peroxides, acids, alkalis, anhydrides

### 8. Exposure controls/personal protection

: Use exhaust ventilation to keep airborne concentrations below exposure limits. Use only with adequate ventilation.
: Local exhaust ; Necessary, Mechanical (General) ; Recommended
: None established (Cellufine MAX IB), TWA= 1000 ppm, 1900 mg/m <sup>3</sup> (EtOH)
: None established (Cellufine MAX IB), TWA= 1000 ppm, 1880 mg/m <sup>3</sup> (EtOH)
: None established (Cellufine MAX IB)
: Chemical resistant gloves
: Safety glasses (goggles)
: Protective clothing

## 9. Physical and chemical properties

Appearance	: White-slightly grayish slurry
ODOR	: Not available
Odor threshold	: Not available
pН	: Not available
Boiling point	: Not available
Melting point	: Not available
Flash point	: 35 – 38°C
Evaporation rate	: Not available
Flammability (solid, gas)	: Not applicable
Decomposition temperature	: Not available
Explosive limits	: Not available

#### Page 4 of 5 First issue: 2016/8/19 Revised: 2016/9/6 SDS# CPS-F-0056M-USA/ Cellufine MAX IB

Vapor pressure	: Not available
Vapor density	: Not available
Specific gravity	: Not available
Solubility in; Water	: Insoluble
log Po/w	: Not available
Autoignition temperature	: Not available
Viscosity	: Not available

<u>10. Stability and reactivity</u>	
Reactivity	: No data available
Chemical stability	: No data available
Condition to avoid	: Sunlight, heat
Incompatibility (material to avoid)	: Oxidizers, acids, alkalis
Hazardous decomposition products	: Carbon monoxide and nitrogen oxides may be formed
Hazardous polymerization	: Will not occur.

## 11. Toxicological information

	Information	
	Cellufine MAX IB	EtOH
Acute toxicity data	: Not available	: TDLo (oral, infant): 11712 μL/kg (JOUOD4 9, 53, 1987)
		: TDLo (oral, man): 700mg/kg (NTOTDY 8, 77, 1986)
		: LD50 (oral, rat): 9,000mg/kg (VCVGK* -,93, 1984)
		: LC50 (ihl, rat): 20,000ppm/10H (NPIRI* 1, 44, 1974)
Irritation data	: Not available	: Skin; rabbit; 20mg/24H; Moderate (85JCAE -, 189, 1986)
		: Eye; rabbit; 500mg/24H; Mild (85JCAE -, 189, 1986)
Mutation data	: Not available	: DNA damage; S. cerevisiae; 850mmol/L (MUREAV326, 165, 1995)
		: Mutation in microorganisms; S. typhimurium; 11pph (ENVRAL 52, 225, 1990)
		: Cytogenetic analysis; human; lymphocyte; 2.5pph/24H (MUREAV 537,117, 2003)
Reproductive effects	: Not available	: TDLo (oral, woman): 250mg/kg (37 W preg); Effects on embryo or
		Fetus – other effects to embryo (AJOGAH 145, 251, 1983)
		TDLo (oral, rat): 22.5mg/kg (11-20 D preg); Specific Developmental
		Abnormalities – Central Nervous Systems (NETEEC 24, 719, 2002)
Tumorigenic data	: Not available	: TDLo (oral, mouse): 320mg/kg/50W-I (CALEDQ 13, 345, 1981)

12. Ecological i	nformation	
	Cellufine MAX IB	EtOH
Biodegradability	: Not available	: Biodegradable
Bioaccumulation potential	: Not available	: Not available
Aquatic toxicity	: Not available	: Not available
Other information	: Not available	: WGK; 1

Page 5 of 5 First issue: 2016/8/19 Revised: 2016/9/6 SDS# CPS-F-0056M-USA/ Cellufine MAX IB

#### 13. Disposal consideration

Burn in a chemical incinerator equipped with an afterburner and scrubber in accordance with all applicable regulations. Any disposal practice must be in compliance with country, local or state and federal laws and regulations (contact country, local or state environmental agency for specific rules).

14. Transport ir	nformation_
RID/ADR	: Not Regulated
	(An aqueous solution containing not more than 24% alcohol by volume is not subject to the requirements of RID/ADR. (SP No. 144))
IMDG Code	: Not Regulated.
	(An aqueous solution containing not more than 24% alcohol by volume is not subject to the provisions of IMDG Code. (SP No. 144))
ICAO/IATA	: Not Regulated
	(An aqueous solution containing not more than 24% alcohol by volume is not subject to Dangerous Goods Regulations. (SP No. A58(144))
US DOT	: Not Regulated
	(An aqueous solution containing no less than 50 percent water, 24 percent or less alcohol by volume and no other hazardous materials is exempted from hazardous material under 49CFR173.150(e)(2).)

15. Regulatory information		
	Cellufine MAX IB	EtOH
US Regulations	: Not listed	: CAA/111 Volat. Org. Comp, NIOSH Recommend.
		Subst., IARC Subst. Overall Eval., NTP Test. Prog., DOT Haz.
		Mat., Mass. Subst. List, New Jers. RTK Haz. Subst. List,
		Canada WHMIS IDL 0.1% conc.
EU regulations	: Not listed	: SYMBOL: F
		R-phrases: 11
		S-phrases: 7-16
		Keep container tightly closed.
		Keep away from sources of -No smoking.
		EC index No: 603-002-00-5

### 16. Other information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of JNC Corporation. It relates to only to the specific product designated herein, and does not relate to use in combination with any other material or in any process. JNC Corporation assumes no legal responsibility for use of or reliance upon this information.